



UNIVAR

Univar USA Inc.
17425 NE Union Hill Road
Redmond, WA 98052
(425) 889-3400

For Emergency Assistance involving chemicals call - CHEMTREC (800) 424-9300

=====

The Version Date and Number for this MSDS is : 03/11/2008 - #020

PRODUCT NAME: SULFURIC ACID 77-100%

MSDS NUMBER: DQ4950CR

DATE ISSUED: 01/24/2008

SUPERSEDES: 01/24/2007

ISSUED BY: 004690

Material Safety Data Sheet

SECTION 1. PRODUCT IDENTIFICATION

Trade Name 77 % - 100 % SULFURIC ACID

Distributed by:
Univar USA Inc.
17425 NE Union Hill Road
Redmond, WA 98052
425-889-3400

Phone Number (Transportation Emergency) U.S.A. 1-800-424-9300 CHEMTREC

Synonyms: Dihydrogen Sulfate ; Oil of Vitriol ; Vitriol Brown Oil
Acide sulfurique (French)

Name / Chemical Formula: Sulfuric Acid / H₂SO₄

Chemical Family: Acid

Utilization: Chemical industries

SECTION 2. HAZARDS IDENTIFICATION

WHMIS (Canada): CLASS D-1A : Very toxic material causing immediate and

serious effects

CLASS E : Corrosive material
Labeling (EEC): C Corrosive

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS #	Percentage (%)	# CE	R Phrases*
Sulfuric (Acid)	7664-93-9	77 % to 100 %	231-639-5	R35
60 Deg Technical		77.7		
66 Deg Technical		93.2		
1.835 Electrolyte		93.2		
98 % Technical		98		
99 % Technical		99		
100 % Technical		100		
Water	7732-18-5	0-22		

Note *: See section 15 for the complete wording of risk phrases.

SECTION 4. FIRST-AID MEASURES

Eye Contact

Remove contact lenses if present. Immediately flush eyes with plenty of water, holding eyelids open for at least 15 minutes. Consult a physician. Possibility of conjunctivitis, severe irritation, severe burns, permanent eye damage.

Skin Contact

Remove contaminated clothing and shoes as quickly as possible protecting your hands and body. Place under a deluge shower for 15 minutes. Flush exposed skin gently and thoroughly with running water (Pay particular attention to : Folds, crevices, creases, groin). Call a physician if irritation persists. May irritate skin, cause burns (Highly corrosive) and possibility of some scarring.

Wash contaminated clothing before reusing. While the patient is being transported to a medical facility, continue the application of cold, wet compresses. If medical treatment must be delayed, repeat the flushing with cold water or soak the affected area with cold water to help remove the last traces of sulfuric acid. Creams or ointments SHOULD NOT be applied before or during the washing phase of treatment.

Inhalation

Take precautions to avoid secondary contamination by residual acids. Remove the person to fresh air. If not breathing, give artificial respiration. Difficult breathing : Give oxygen. Get immediate medical attention. Possibility of damage to the upper respiratory tract and lung tissues. Maintain observation of the patient for delayed onset of pulmonary edema. May cause irritation to the upper respiratory tract : Coughing, sore throat, shortness of breath.

Ingestion

DO NOT INDUCE VOMITING. Conscious and alert person: Rinse mouth with water and give 1/2 to 1 cup of water or milk to dilute material. Spontaneous vomiting : Keep head below hips to prevent aspiration ; Rinse mouth and give 1/2 to 1 cup of water or milk. UNCONSCIOUS person : DO NOT induce vomiting or give any liquid. Immediately obtain medical attention.

Notes to Physicians

Continued washing of the affected area with cold or iced water will be helpful in removing the last traces of sulfuric acid. Creams or ointments should not be applied before or during the washing phase of the treatment.

SECTION 5. FIRE-FIGHTING MEASURES

Flash Point	Not available
Flammable Limits	Not available
Auto-Ignition Temperature	Not available
Products of Combustion	Releases of sulfur dioxide at extremely high temperatures.
Fire Hazard	Not flammable

Explosion Hazard

Reacts with most metals, especially when dilute : Hydrogen gas release (Extremely flammable, explosive). Risk of explosion when acid combined with water organic materials or base solutions in enclosed spaces (Vacuum trucks, tanks). Follow appropriate National Fire Protection Association (NFPA) codes.

Extinguishing media

Use media appropriate for surrounding material. Use water spray to cool containers exposed to fire ; DO NOT get water inside containers.

Protective equipment

Evacuate personnel to a safe area. Keep personnel removed and upwind of fire. Generates heat upon addition of water, with possibility of spattering. Wear full protective clothing. Runoff from fire control may cause pollution. Neutralize run-off with lime, soda ash, etc., to prevent corrosion of metals and formation of hydrogen gas. Wear self-contained breathing apparatus if fumes or mists are present.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Spill

Review Fire and Explosion Hazards and Safety Precautions before proceeding with clean up. Stop flow if possible. Soak up small spills with dry sand, clay or diatomaceous earth.

Methods

Dike large spills, and cautiously dilute and neutralize with lime or soda ash, and transfer to waste water treatment system. Prevent liquid from entering sewers, waterways, or low areas. If this product is spilled and not recovered, or is recovered as a waste for treatment or disposal, the Reportable Quantity (U.S. DOT) is 1 000 lbs (Based on the sulfuric acid content of the solution spilled). Comply with Federal, State, and local regulations on reporting releases.

Protective equipment

Review Fire Fighting Measures and Handling (Personnel Protection) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

SECTION 7. HANDLING AND STORAGE

Handling

Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or mist.

Wear approved respirators if adequate ventilation cannot be provided. Wash thoroughly after handling. Ingestion or inhalation : Seek medical advice immediately and provide medical personnel with a copy of this MSDS.

Conditions for storage

Sulfuric acid must be stored in containers or tanks that have been specially designed for use with sulfuric acid. DO NOT add water or other products to contents in containers as violent reactions will result with resulting high heat, pressure and/or generation of hazardous acid mists.

Keep containers away from heat, sparks, and flame. All closed containers must be safely vented before each opening.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Name	CAS #	ACCIH (U.S.A.) 2007 TLV-TWA (mg/m3)	OSHA (U.S.A.) PEL-TWA (mg/m3)
Sulfuric (Acid)	7664-93-9	0.2 (thoracic fr.)	1
60 Deg Technical		0.2 (thoracic fr.)	1
66 Deg Technical		0.2 (thoracic fr.)	1
1.835 Electrolyte		0.2 (thoracic fr.)	1
98 % Technical		0.2 (thoracic fr.)	1
99 % Technical		0.2 (thoracic fr.)	1
100 % Technical		0.2 (thoracic fr.)	1
Water	7732-18-5	Not established	Not established

ACGIH: American Conference of Governmental Industrial Hygienists. OSHA : Occupational Safety and Health Administration.

Note: Sulfuric (Acid): Exposure limits may be different in other jurisdictions. NIOSH REL-TWA (<10 hours): 1 mg/m3 ; IDLH : 15 mg/m3. Consult local authorities for acceptable exposure limits.

Engineering Controls

Good general ventilation should be provided to keep vapor and mist concentrations below the exposure limits.

Individual protection

Chemical splash goggles ; Full-length face shield/chemical splash goggles combination ; Acid-proof gauntlet gloves, apron, and boots ; Long sleeve wool, acrylic, or polyester clothing ; Acid proof suit and hood ; Appropriate NIOSH respiratory protection.

In case of emergency or where there is a strong possibility of considerable exposure, wear a complete acid suit with hood, boots, and gloves. If acid vapor or mist are present and exposure limits may be exceeded, wear appropriate NIOSH respiratory protection.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State and Appearance	Liquid (Oily ; Clear to turbid)
Odor	Odorless
Molecular Weight	98.08
Color	Colorless to light grey
pH (1% soln/water)	< 1

Volatility < 1 (Butyl Acetate = 1.0)
 Boiling Point 193 deg C to 327 deg C (379 deg F to 621 deg F) g 760 mm Hg
 Vapor Density 3.4
 Melting Point -35 deg C to 11 deg C (-31 deg F to 52 deg F)
 Dispersion Yes (Water)
 Vapor Pressure < 0.3 mm Hg 25 deg C (77 deg F)
 < 0.6 mm Hg g 38 deg C (100 deg F)
 Solubility Yes (Water)

GRADE	Boiling Point		Freezes Point		Specific Gravity
	DEG deg C	DEG deg F	DEG deg C	DEG deg F	
60 DEG TECHNICAL	193	380	- 12	10	1.706
66 DEG TECHNICAL	279	535	- 35	-31	1.835
1.835 ELECTROLYTE	279	535	- 35	-31	1.835
98 % TECHNICAL	327	621	- 2	29	1.844
99 % TECHNICAL	310	590	4	40	1.842
100 % TECHNICAL	274	526	11	51	1.839

SECTION 10. STABILITY AND REACTIVITY

Stability

Yes (Under normal conditions of ambient temperature)

Reactivity

Reacts violently with water and organic materials with evolution of heat.

Conditions to avoid

Heat : Possibility of decomposition. Release of dangerous gases (Sulfur oxides SO₂, SO₃)

Polymerization

Polymerization will not occur.

Incompatibilities

Vigorous reactions with : Water; alkaline solutions ; Metals, metal powder ; Carbides ; Chlorates ; Fulminates ; nitrates ; Picrates ; Strong oxidizing, reducing, or combustible organic materials. Hazardous gases are evolved on contact with chemicals such as cyanides, sulfides, and carbides.

Corrosivity

Yes

SECTION 11. TOXICOLOGICAL INFORMATION

Routes of Entry

Ingestion. Inhalation. Skin and eye contacts.

Carcinogenicity

Strong inorganic acid mists containing sulfuric acid (Occupational exposures) : PROVEN (Human, Group 1, IARC) ; SUSPECTED (Human, Group A2, ACGIH) ; Group X (NTP) ; Classification not applicable to sulfuric acid and sulfuric acid solutions.

Mutagenicity
Not applicable.

Teratogenicity
Not applicable.

Acute toxicity
ORAL (LD50) : 2 140 mg/kg (Rat) ; INHALATION (LC50, 2 hours) : 510 mg/m3
(Rat) ; 320 mg/m3 (Mouse). (RTECS).

Acute Effects
May be fatal if inhaled or ingested in large quantity. Liquids or acid mists
: May produce tissue damage : Mucous membranes (Eyes, mouth, respiratory
tract). Extremely dangerous by eyes and skin contact (Corrosive). Severe
irritant for eyes : Inflammation (Redness, watering, itching). Very dangerous
in case of inhalation (Mists) at high concentrations : May produce severe
irritation of respiratory tract (Coughing, shortness of breath, choking).

Chronic Effects
Overexposure to strong inorganic mists containing sulfuric acid : Possibility
of laryngeal cancer (HSBD, IARC). Target organs for acute and chronic
overexposure (NIOSH 90-117) : Respiratory system, eyes, skin, teeth.
Acid mists : Possibility of irritation of the nose and throat with sneezing,
sore throat or runny nose. Headache, nausea and weakness. Gross overexposure
: Possibility of irritation of nose, throat, and lungs with cough, difficulty
breathing or shortness of breath. Pulmonary edema with cough, wheezing,
abnormal lung sounds, possibly progressing to severe shortness of breath and
bluish discoloration of the skin. Symptoms may be delayed. Repeated or
prolonged exposure to mists may cause : Corrosion of teeth.
Contact (Skin) : Possibility of corrosion, burns or ulcers. Contact with a 1
% solution : Possibility of slight irritation with itching, redness or
swelling. Repeated or prolonged exposure (Mist) : Possibility of irritation
with itching, burning, redness, swelling or rash.
Contact (Eye) : Possibility of corrosion or ulceration (Blindness may
result). Repeated or prolonged exposure (Mist) : Possibility of eye
irritation with tearing, pain or blurred vision.
Ingestion : Immediate effects of overexposure : Burns of the mouth, throat,
esophagus and stomach, with severe pain, bleeding, vomiting, diarrhea and
collapse of blood pressure. Damage may appear days after exposure.

Toxicity
Persons with the following pre-existing conditions warrant particular
attention :
Sulfuric (Acid) : Laryngeal irritation.
Eating, drinking and smoking must be prohibited in areas where this material
is handled and processed. Wash hands and face before eating, drinking and
smoking.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity
Aquatic toxicity : Slightly to moderately toxic.
Bluegill Sunfish (LC50 ; 48 hours) : 49 mg/L (Tap water, 20 deg C,
conditions of bioassay not specified). (HSBD).
Flounder (LC50 ; 48 hours) : 100-330 mg/L (Aerated water, conditions of
bioassay not specified). (HSBD).

Toxicity to Animals

EYE : Concentrated compound is corrosive. 10 % solution : Moderate eye irritant. SKIN : Concentrated compound is corrosive. 10 % solution : Slight skin irritant.

Single and repeated exposure : Irritation of the respiratory tract ; Corrosion of the respiratory tract ; Lung damage ; Labored breathing ; Altered respiratory rate ; Pulmonary edema. Repeated exposure : Altered red blood cell count.

Mobility (Soil)

Easy soil seeping under rain action

Persistence and degradability

Sulfate ion : Ubiquitous in the environment. Metabolized by micro-organisms and plants.

Bioaccumulation

Sulfate ion : Ubiquitous in the environment. Metabolized by micro-organisms and plants without bioaccumulation.

Biodegradation Products

Not available

Biodegradation Products (Toxicity)

Not applicable

Remarks on Environment

Due to the product's composition, particular attention must be taken for transportation and storage. Protect from rain because the run-off water will become acidic and may be harmful to flora and fauna.

BOD5 and COD

Not available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Cleaned-up material may be a hazardous waste on Resource Conservation and Recovery Act (RCRA) on disposal due to the corrosivity characteristic. DO NOT flush to surface water or sanitary sewer system. Comply with Federal, State, and local regulations. If approved, neutralize and transfer to waste treatment system.

SECTION 14. TRANSPORT INFORMATION

TDG (Canada)	CLASS 8 Corrosives	
PIN	UN1830 SULFURIC ACID	PG II
Special Provisions (Transport)	None	
DOT (U.S.A.)/IMO (Maritime)	Proper Shipping Name:	SULFURIC ACID
Hazard Class		8
UN N deg		1830
DOT/IMO Label		CORROSIVE
Packing Group		II
Reportable Quantity		1000 lbs (454 kg)

SECTION 15 REGULATORY INFORMATION

Labeling (EEC)

EU (Directive 67/548/EEC) :

Sulfuric (Acid) : C Corrosive (Pictogram)

Annex I Index number : 016-020-00-8 ; EU Consolidated Inventories : EC Number 231-639-5 C > 15% C ; R35 ; S2, 26, 30, 45.

Risk Phrases (EEC)

R35- Causes severe burns

R8- Contact with combustible material may cause fire

Safety Phrases (EEC)

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S30- Never add water to this product

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

CEPA DSL (CANADA)

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) : On the Domestic Substances List (DSL) ; Acceptable for use under the provisions of CEPA.

Regulations (U.S.A.)

CERCLA Section 103 Hazardous substances (40 CFR 302.4) ; SARA Section 302 Extremely Hazardous Substances (40 CFR 355) : Yes ; SARA Section 313, Toxic Chemicals (40 CFR 372.65) ; US: TSCA Inventory : Listed : Sulfuric (Acid) (Final RQ) : 1 000 pounds (454 kg)

Sulfuric Acid is subject to reporting requirements of Section 313, Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA), 40 CFR Part 372.

Certain companies must report emissions of Sulfuric Acid as required under The Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA), 40 CFR Part 302

For more information call the SARA Hotline 800-424-9346.

Strong Inorganic Acid Mists Containing Sulfuric Acid: Chemical listed effective March 14, 2003 to the State of California, Proposal 65. Sulfuric Acid is a Class B Drug Precursor under Health Canada's Controlled Drugs and Substances Act and Precursor Control Regulations.

U.S. FDA Food Bioterrorism Regulations: These regulations apply to Sulfuric Acid when being distributed, stored or used for Food or Food Processing.

Classifications HCS (USA)

Dangerous may cause cancer

Corrosive liquid

NFPA National Fire Protection Association) (U.S.A.)

Fire Hazard 0 Reactivity 2 Health 3 Special Hazard ACID

NPCA- HMIS Rating:

Fire Hazard 0 Reactivity 2 Health 3

SECTION 16. OTHER INFORMATION

References

- TLVs and BEIs (2007). Based on the Documentation of the Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. ACGIH, Cincinnati, OH <http://www.acgih.org>
- CCOHS (2007) - Canadian Centre for Occupational Health and Safety <http://www.ccohs.ca/>
- CSST (2007) - Commission de la Sante et de la Securite du Travail (Quebec). Service du repertoire toxicologique - <http://www.reptox.csst.qc.ca/>
- HSDB (2007) - Hazardous Substances Data Bank. TOXNET Network of databases on toxicology, hazardous chemicals, and environmental health. NLM Databases & Electronic Resources, U.S. National Library of Medicine, NHI, 8600 Rockville Pike, Bethesda, MD 20894 - <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>
- IARC - Monographs on the Evaluation of Carcinogenic Risks to Humans (collection) - <http://www-cie.iarc.fr/> - Merck Index (1999). Merck & CO., Inc, 12th edition
- NIOSH U.S. (2007) - Pocket Guide to Chemical Hazards <http://www.cdc.gov/niosh/npg/>
- North American Emergency Response Guidebook Documents (2004), Developed by the U.S. Department of Transportation, Transport Canada, and the Secretariat of Communications and Transportation of Mexico
- Patty's Industrial Hygiene and Toxicology, 3rd Revised Edition
- Reglement sur les produits contreiles (Canada)
- RTECS (2007). Registry of Toxic Effects of Chemical Substances, NIOSH, CDC
- Toxicologie industrielle & intoxication professionnelle, 3e edition, Lauwerys

Glossary

- CSST : Commission de la Sante et de la Securite du Travail (Quebec).
- HSDB : Hazardous Substances Data Bank.
- IARC : International Agency for Research on Cancer.
- NIOSH : National Institute of Occupational Safety and Health.
- NTP : U.S. National Toxicology Program.
- RTECS : Registry of Toxic Effects of Chemical Substances

Because of its corrosive characteristics and inherent hazards, Sulfuric Acid should not be used in sewer or drain cleaners or any similar application; regardless of whether they are formulated for residential, commercial or industrial use. Vendor will not knowingly sell sulfuric acid to individuals or companies who repackage the product for sale as sewer or drain cleaners, or any other similar use.

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

For Additional Information:

Contact: MSDS Coordinator - Univar USA

During business hours, Pacific Time - (425) 889-3400

NOTICE

Univar USA expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose with respect to the product or information provided herein, and shall

under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Univar USA Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar USA makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar USA's control. Therefore, users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes, and they assume all risks of their use, handling, and disposal of the product or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein and does not relate to its use in combination with any other material or in any other process.

END OF MSDS